

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-320-D1B (25°,160HP)	X								KA14005	KA12508
AEIO-320-D1B (25°,160HP)				X					KA12364	KA12360
AEIO-320-D1B (25°,160HP)						X			KA12365	KA12235
AEIO-320-D2B (25°,160HP)	X								KA14005	KA12508
AEIO-320-D2B (25°,160HP)				X					KA12364	KA12360
AEIO-320-D2B (25°,160HP)						X			KA12365	KA12235
AEIO-320-E1A (25°,150HP)	X								KA14004	KA12508
AEIO-320-E1A (25°,150HP)				X					KA12364	KA12360
AEIO-320-E1A (25°,150HP)						X			KA12365	KA12235
AEIO-320-E1B (25°,150HP)	X								KA14001	KA12508
AEIO-320-E1B (25°,150HP)				X					KA12364	KA12360
AEIO-320-E1B (25°,150HP)						X			KA12365	KA12235
AEIO-320-E2A (25°,150HP)	X								KA14004	KA12508
AEIO-320-E2A (25°,150HP)				X					KA12364	KA12360
AEIO-320-E2A (25°,150HP)						X			KA12365	KA12235
AEIO-320-E2B (25°,150HP)	X								KA14001	KA12508
AEIO-320-E2B (25°,150HP)				X					KA12364	KA12360
AEIO-320-E2B (25°,150HP)						X			KA12365	KA12235
AEIO-360-A1A (20°,200HP)	X								KA14004	
AEIO-360-A1A (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1A (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1A (25°,200HP)	X								KA14004	
AEIO-360-A1A (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1A (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1B (20°,200HP)	X									
AEIO-360-A1B (20°,200HP)				X					KA12364	KA12360

Continued on Page 2



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-360-A1B (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1B (25°,200HP)	X									
AEIO-360-A1B (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1B (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1B6 (20°,200HP)	X									
AEIO-360-A1B6 (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1B6 (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1B6 (25°,200HP)	X									
AEIO-360-A1B6 (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1B6 (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1C (20°,200HP)	X									KA12508
AEIO-360-A1C (25°,200HP)	X									KA12508
AEIO-360-A1D (20°,200HP)	X								KA14004	
AEIO-360-A1D (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1D (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1E (20°,200HP)	X								KA14004	KA12508
AEIO-360-A1E (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1E (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1E (25°,200HP)	X								KA14004	KA12508
AEIO-360-A1E (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1E (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1E6 (20°,200HP)	X								KA14004	KA12508
AEIO-360-A1E6 (25°,200HP)	X								KA14004	KA12508
AEIO-360-A2A (20°,200HP)	X								KA14004	KA12508
AEIO-360-A2A (25°,200HP)	X								KA14004	KA12508
AEIO-360-A2B (20°,200HP)	X								KA14001	KA12508
AEIO-360-A2B (20°,200HP)				X					KA12364	KA12360
AEIO-360-A2B (20°,200HP)						X			KA12365	KA12235
AEIO-360-A2B (25°,200HP)	X								KA14001	KA12508
AEIO-360-A2B (25°,200HP)				X					KA12364	KA12360
AEIO-360-A2B (25°,200HP)						X			KA12365	KA12235
AEIO-360-A2C (20°,200HP)	X									KA12508
AEIO-360-A2C (25°,200HP)	X									KA12508
AEIO-360-B1B (25°,180HP)	X								KA14004	KA12508
AEIO-360-B1B (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1B (25°,180HP)						X			KA12365	KA12235
AEIO-360-B1D (25°,180HP)	X								KA14004	KA12508
AEIO-360-B1F (25°,180HP)	X								KA14005	KA12508



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-360-B1F (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1F (25°,180HP)							X		KA12365	KA12235
AEIO-360-B1F6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B1F6 (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1F6 (25°,180HP)							X		KA12365	KA12235
AEIO-360-B1G6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B1G6 (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1G6 (25°,180HP)							X		KA12365	KA12235
AEIO-360-B2F (25°,180HP)	X								KA14005	KA12508
AEIO-360-B2F (25°,180HP)				X					KA12364	KA12360
AEIO-360-B2F (25°,180HP)							X		KA12365	KA12235
AEIO-360-B2F6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B4A (25°,180HP)	X								KA14004	KA12508
AEIO-360-B4A (25°,180HP)				X					KA12364	KA12360
AEIO-360-B4A (25°,180HP)							X		KA12365	KA12235
AEIO-360-H1A (25°,180HP)	X								KA14001	KA12508
AEIO-360-H1A (25°,180HP)				X					KA12364	KA12360
AEIO-360-H1A (25°,180HP)							X		KA12365	KA12235
AEIO-540-D4A5 (25°,260HP)		X							KA16014	
AEIO-540-D4A5 (25°,260HP)		X								
AEIO-540-D4A5 (25°,260HP)					X				KA12121	KA12120
AEIO-540-D4A5 (25°,260HP)							X		KA12154	KA12157
AEIO-540-D4B5 (25°,260HP)		X							KA16014	
AEIO-540-D4B5 (25°,260HP)		X								
AEIO-540-D4B5 (25°,260HP)		X							KA16001	
AEIO-540-D4B5 (25°,260HP)					X				KA12121	KA12120
AEIO-540-D4B5 (25°,260HP)							X		KA12154	KA12157
AEIO-540-D4C5 (25°,260HP)		X								
AEIO-540-D4D5 (25°,260HP)		X							KA16014	
AEIO-540-L1B5 (20°,300HP)		X							KA16001	
AIO-320-A1A (25°,160HP)							X			
AIO-320-A1B (25°,160HP)	X								KA14005	KA12508
AIO-320-A1B (25°,160HP)							X		KA12365	
AIO-320-A1B (25°,160HP)				X					KA12364	KA12360
AIO-320-A1B (25°,160HP)							X		KA12365	KA12235
AIO-320-A2A (25°,160HP)	X								KA14007	KA12508
AIO-320-A2B (25°,160HP)	X								KA14001	KA12508
AIO-320-A2B (25°,160HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AIO-320-A2B (25°,160HP)						X			KA12365	KA12235
AIO-320-B1B (25°,160HP)	X								KA14005	KA12508
AIO-320-B1B (25°,160HP)				X					KA12364	KA12360
AIO-320-B1B (25°,160HP)						X			KA12365	KA12235
AIO-320-C1B (25°,160HP)	X								KA14005	KA12508
AIO-360-A1A (20°,200HP)				X					KA12364	KA12360
AIO-360-A1A (20°,200HP)	X									
AIO-360-A1A (20°,200HP)						X			KA12365	KA12235
AIO-360-A1A (25°,200HP)				X					KA12364	KA12360
AIO-360-A1A (25°,200HP)						X			KA12365	KA12235
AIO-360-A1B (20°,200HP)				X					KA12364	KA12360
AIO-360-A1B (20°,200HP)	X									
AIO-360-A1B (20°,200HP)						X			KA12365	KA12235
AIO-360-A1B (25°,200HP)				X					KA12364	KA12360
AIO-360-A1B (25°,200HP)						X			KA12365	KA12235
AIO-360-A2A (20°,200HP)	X									
AIO-360-A2A (25°,200HP)	X									
AIO-360-A2B (20°,200HP)	X								KA14001	KA12508
AIO-360-A2B (20°,200HP)				X					KA12364	KA12360
AIO-360-A2B (20°,200HP)						X			KA12365	KA12235
AIO-360-A2B (25°,200HP)	X								KA14001	KA12508
AIO-360-A2B (25°,200HP)				X					KA12364	KA12360
AIO-360-A2B (25°,200HP)						X			KA12365	KA12235
AIO-360-B1B (20°,200HP)						X				KA12235
AIO-360-B1B (20°,200HP)	X									
AIO-360-B1B (20°,200HP)						X			KA12365	
AIO-360-B1B (25°,200HP)						X			KA12365	KA12235
AIO-360-B1B (25°,200HP)	X									
AIO-360-B1B (25°,200HP)						X				
GO-435-C2A (25°,260HP)					X				KA12474	
GO-435-C2A2 (25°,260HP)					X				KA12474	
GO-435-C2B (25°,260HP)					X				KA12474	
GO-435-C2B1 (25°,260HP)					X				KA12474	
GO-435-C2B2 (25°,260HP)					X				KA12474	
GO-480-B (25°,270HP)					X				KA12474	
GO-480-B1A6 (25°,270HP)					X				KA12474	
GO-480-B1C (25°,270HP)					X				KA12474	
GO-480-B1D (25°,270HP)					X				KA12474	



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
GO-480-C1D6 (25°,295HP)					X				KA12474	
GO-480-D1A (25°,275HP)					X				KA12854	
GO-480-G1A6 (25°,295HP)					X				KA12474	
GO-480-G1B6 (25°,295HP)					X				KA12854	
GO-480-G1D6 (25°,295HP)					X				KA12474	
GO-480-G1D6 (25°,295HP)							X			
GO-480-G1J6 (25°,295HP)					X					
GO-480-G1J6 (25°,295HP)							X		KA12742	
GSO-480-B1B3 (25°,340HP)					X					
GSO-480-B1J6 (25°,340HP)					X					
GSO-480-B1J6 (25°,340HP)							X		KA12745	
HIO-360-A1A (25°,180HP)				X						
HIO-360-B1A (25°,180HP)				X						
HIO-360-C1A (25°,205HP)				X						
HIO-360-C1B (25°,205HP)						X			KA12411	
HIO-360-D1A (25°,205HP)	X								KA14007	
HIO-360-D1A (25°,205HP)						X				
HIO-360-E1AD (20°,190HP)								X		*
HIO-360-E1BD (20°,190HP)								X		*
HIO-360-F1AD (20°,190HP)								X		*
HO-360-A1A (25°,180HP)				X					KA12364	KA12360
HO-360-B1A (25°,180HP)				X					KA12364	KA12360
HO-360-B1B (25°,180HP)				X					KA12364	KA12360
HO-360-C1A (25°,180HP)				X					KA12364	KA12360
IGSO-480-A1A6 - 1/2 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1A6 - 1/2 (25°,340HP)							X			
IGSO-480-A1A6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1A6 - 13/16 (25°,340HP)							X			
IGSO-480-A1B6 - 1/2 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1B6 - 1/2 (25°,340HP)							X			
IGSO-480-A1B6 -13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1B6 - 13/16 (25°,340HP)							X			
IGSO-480-A1E6 - 1/2 (25°,340HP)					X				KA12244	KA12247



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IGSO-480-A1E6 - 1/2 (25°,340HP)							X			
IGSO-480-A1E6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1E6 - 13/16							X			
IGSO-540-A1D (25°,380HP)					X					
IGSO-540-A1D (25°,380HP)					X					
IGSO-540-A1D (25°,380HP)							X		KA12259	
IGSO-540-A1E (25°,380HP)					X					
IGSO-540-A1E (25°,380HP)					X					
IGSO-540-A1E (25°,380HP)							X		KA12259	
IGSO-540-A1F (25°,380HP)					X					
IGSO-540-A1F (25°,380HP)					X					
IGSO-540-A1F (25°,380HP)							X		KA12259	
IGSO-540-B1A (25°,380HP)					X					
IGSO-540-B1A (25°,380HP)					X					
IGSO-540-B1A (25°,380HP)							X		KA12259	
IGSO-540-B1C (25°,380HP)					X					
IGSO-540-B1C (25°,380HP)					X					
IGSO-540-B1C (25°,380HP)							X		KA12259	
IO-320-A1A (25°,150HP)	X								KA14000	KA12508
IO-320-A2A (25°,150HP)	X								KA14000	KA12508
IO-320-B1A (25°,160HP)	X								KA14000	KA12508
IO-320-B1A (25°,160HP)				X					KA12364	KA12360
IO-320-B1A (25°,160HP)						X			KA12365	KA12235
IO-320-B1B (25°,160HP)	X								KA14001	KA12508
IO-320-B1B (25°,160HP)				X					KA12364	KA12360
IO-320-B1B (25°,160HP)						X			KA12365	KA12235
IO-320-B1C (25°,160HP)	X								KA14004	KA12508
IO-320-B1C (25°,160HP)				X					KA12364	KA12360
IO-320-B1C (25°,160HP)						X			KA12365	KA12235
IO-320-B1D (25°,160HP)	X								KA14007	KA12508
IO-320-B1D (25°,160HP)				X					KA12364	KA12360
IO-320-B1D (25°,160HP)						X			KA12365	KA12235
IO-320-B2A (25°,160HP)	X								KA14004	KA12508
IO-320-B2A (25°,160HP)				X					KA12364	KA12360
IO-320-B2A (25°,160HP)						X			KA12365	KA12235
IO-320-C1A - 1/2 (25°,160HP)	X								KA14000	KA12508
IO-320-C1A - 1/2 (25°,160HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-320-C1A - 1/2 (25°,160HP)						X			KA12365	KA12235
IO-320-C1A - 13/16 (25°,160HP)	X								KA14000	KA12508
IO-320-C1A - 13/16 (25°,160HP)				X					KA12364	KA12360
IO-320-C1A - 13/16 (25°,160HP)						X			KA12365	KA12235
IO-320-D1A (25°,160HP)	X								KA14005	KA12508
IO-320-D1A (25°,160HP)				X					KA12364	KA12360
IO-320-D1A (25°,160HP)						X			KA12365	KA12235
IO-320-D1B (25°,160HP)	X								KA14005	KA12508
IO-320-D1B (25°,160HP)				X					KA12364	KA12360
IO-320-D1B (25°,160HP)						X			KA12365	KA12235
IO-320-E1A (25°,150HP)	X								KA14004	KA12508
IO-320-E1A (25°,150HP)				X					KA12364	KA12360
IO-320-E1A (25°,150HP)						X			KA12365	KA12235
IO-320-E1B (25°,150HP)	X								KA14001	KA12508
IO-320-E1B (25°,150HP)				X					KA12364	KA12360
IO-320-E1B (25°,150HP)						X			KA12365	KA12235
IO-320-E2A (25°,150HP)	X								KA14004	KA12508
IO-320-E2A (25°,150HP)				X					KA12364	KA12360
IO-320-E2A (25°,150HP)						X			KA12365	KA12235
IO-320-E2B (25°,150HP)	X								KA14001	KA12508
IO-320-E2B (25°,150HP)				X					KA12364	KA12360
IO-320-E2B (25°,150HP)						X			KA12365	KA12235
IO-320-F1A (25°,160HP)	X								KA14000	KA12508
IO-320-F1A (25°,160HP)				X					KA12364	KA12360
IO-320-F1A (25°,160HP)						X			KA12365	KA12235
IO-360-A1A (20°,200HP)	X								KA14004	KA12508
IO-360-A1A (20°,200HP)				X					KA12402	KA12360
IO-360-A1A (20°,200HP)						X			KA12365	KA12235
IO-360-A1A (25°,200HP)	X								KA14004	KA12508
IO-360-A1A (25°,200HP)				X					KA12402	KA12360
IO-360-A1A (25°,200HP)						X			KA12365	KA12235
IO-360-A1B (20°,200HP)	X									KA12508
IO-360-A1B (20°,200HP)	X								KA14004	KA12508
IO-360-A1B (20°,200HP)	X								KA14006	KA12508
IO-360-A1B (20°,200HP)	X								KA14007	KA12508
IO-360-A1B (20°,200HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-A1B (20°,200HP)						X			KA12365	KA12235
IO-360-A1B (25°,200HP)	X									KA12508
IO-360-A1B (25°,200HP)	X								KA14004	KA12508
IO-360-A1B (25°,200HP)	X								KA14006	KA12508
IO-360-A1B (25°,200HP)	X								KA14007	KA12508
IO-360-A1B (25°,200HP)				X					KA12364	KA12360
IO-360-A1B (25°,200HP)						X			KA12365	KA12235
IO-360-A1B6 (20°,200HP)	X									KA12508
IO-360-A1B6 (20°,200HP)	X								KA14006	KA12508
IO-360-A1B6 (20°,200HP)	X								KA14007	KA12508
IO-360-A1B6 (20°,200HP)				X					KA12364	KA12360
IO-360-A1B6 (20°,200HP)						X				
IO-360-A1B6 (25°,200HP)	X									KA12508
IO-360-A1B6 (25°,200HP)	X								KA14006	KA12508
IO-360-A1B6 (25°,200HP)	X								KA14007	KA12508
IO-360-A1B6 (25°,200HP)				X					KA12364	KA12360
IO-360-A1B6 (25°,200HP)						X				
IO-360-A1B6D (25°,200HP)								X		*
IO-360-A1C (20°,200HP)	X									KA12508
IO-360-A1C (20°,200HP)				X					KA12364	KA12360
IO-360-A1C (20°,200HP)						X			KA12365	KA12235
IO-360-A1C (25°,200HP)	X									KA12508
IO-360-A1C (25°,200HP)				X					KA12364	KA12360
IO-360-A1C (25°,200HP)						X			KA12365	KA12235
IO-360-A1D (20°,200HP)	X								KA14006	KA12508
IO-360-A1D (20°,200HP)	X								KA14004	KA12508
IO-360-A1D (20°,200HP)				X					KA12364	KA12360
IO-360-A1D (20°,200HP)						X				KA12235
IO-360-A1D (25°,200HP)	X								KA14006	KA12508
IO-360-A1D (25°,200HP)	X								KA14004	KA12508
IO-360-A1D (25°,200HP)				X					KA12364	KA12360
IO-360-A1D (25°,200HP)						X				KA12235
IO-360-A1D6 (20°,200HP)	X									KA12508
IO-360-A1D6 (20°,200HP)				X					KA12364	KA12360
IO-360-A1D6 (20°,200HP)						X				KA12235
IO-360-A1D6 (25°,200HP)	X									KA12508
IO-360-A2A (20°,200HP)	X								KA14004	KA12508
IO-360-A2A (20°,200HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-A2A (20°,200HP)						X			KA12365	KA12235
IO-360-A2A (25°,200HP)	X								KA14004	KA12508
IO-360-A2A (25°,200HP)				X					KA12364	KA12360
IO-360-A2A (25°,200HP)						X			KA12365	KA12235
IO-360-A2B (20°,200HP)	X								KA14006	
IO-360-A2B (20°,200HP)	X								KA14007	
IO-360-A2B (20°,200HP)	X									
IO-360-A2B (20°,200HP)				X					KA12364	KA12360
IO-360-A2B (20°,200HP)						X			KA12365	KA12235
IO-360-A2B (25°,200HP)	X								KA14006	
IO-360-A2B (25°,200HP)	X								KA14007	
IO-360-A2B (25°,200HP)	X									
IO-360-A2B (25°,200HP)				X					KA12364	KA12360
IO-360-A2B (25°,200HP)						X			KA12365	KA12235
IO-360-A2C (20°,200HP)	X									KA12508
IO-360-A2C (20°,200HP)				X					KA12364	KA12360
IO-360-A2C (20°,200HP)						X			KA12365	KA12235
IO-360-A2C (25°,200HP)	X									KA12508
IO-360-A2C (25°,200HP)				X					KA12364	KA12360
IO-360-A2C (25°,200HP)						X			KA12365	KA12235
IO-360-A3B6 (20°,200HP)	X								KA14006	KA12508
IO-360-A3B6 (25°,200HP)	X								KA14006	KA12508
IO-360-A3B6D (25°,200HP)						*10-821414-8 OVERHAULED		X		*
IO-360-B1A (25°,180HP)				X					KA12364	KA12360
IO-360-B1A (25°,180HP)						X			KA12365	KA12235
IO-360-B1B (25°,180HP)	X								KA14004	KA12508
IO-360-B1B (25°,180HP)				X					KA12364	KA12360
IO-360-B1B (25°,180HP)						X			KA12365	KA12235
IO-360-B1C (25°,177HP)				X					KA12364	KA12360
IO-360-B1C (25°,177HP)						X			KA12365	KA12235
IO-360-B1D (25°,180HP)	X								KA14004	KA12508
IO-360-B1D (25°,180HP)				X					KA12364	KA12360
IO-360-B1D (25°,180HP)						X			KA12365	KA12235
IO-360-B1E (25°,180HP)	X								KA14006	KA12508
IO-360-B1E (25°,180HP)				X					KA12364	KA12360
IO-360-B1E (25°,180HP)						X			KA12365	KA12235
IO-360-B1F (25°,180HP)	X								KA14005	KA12508
IO-360-B1F (25°,180HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-B1F (25°,180HP)						X			KA12365	KA12235
IO-360-B1F6 (25°,180HP)	X								KA14001	KA12508
IO-360-B2E-nd (25°,180HP)	X								KA14006	KA12508
IO-360-B2E-nd (25°,180HP)				X					KA12364	KA12360
IO-360-B2E-nd (25°,180HP)						X			KA12365	KA12235
IO-360-B2E-wd (25°,180HP)	X								KA14005	
IO-360-B2E-wd (25°,180HP)				X					KA12364	KA12360
IO-360-B2E-wd (25°,180HP)						X			KA12365	KA12235
IO-360-B2F (25°,180HP)	X								KA14005	KA12508
IO-360-B2F (25°,180HP)				X					KA12364	KA12360
IO-360-B2F (25°,180HP)						X			KA12365	KA12235
IO-360-B2F6 (25°,180HP)	X								KA14005	KA12508
IO-360-B2F6 (25°,180HP)				X					KA12364	KA12360
IO-360-B2F6 (25°,180HP)						X			KA12365	KA12235
IO-360-B4A (25°,180HP)	X								KA14006	
IO-360-B4A (25°,180HP)	X								KA14004	KA12508
IO-360-B4A (25°,180HP)				X					KA12364	KA12360
IO-360-B4A (25°,180HP)						X			KA12365	KA12235
IO-360-C1A (20°,200HP)	X								KA14004	KA12508
IO-360-C1A (20°,200HP)				X					KA12364	KA12360
IO-360-C1A (20°,200HP)						X			KA12365	KA12235
IO-360-C1A (25°,200HP)	X								KA14004	KA12508
IO-360-C1A (25°,200HP)				X					KA12364	KA12360
IO-360-C1A (25°,200HP)						X			KA12365	KA12235
IO-360-C1B (20°,200HP)	X									KA12508
IO-360-C1B (20°,200HP)				X					KA12364	KA12360
IO-360-C1B (20°,200HP)						X			KA12365	KA12616
IO-360-C1B (25°,200HP)	X									KA12508
IO-360-C1B (25°,200HP)				X					KA12364	KA12360
IO-360-C1B (25°,200HP)						X			KA12365	KA12616
IO-360-C1C (20°,200HP)	X								KA14027	
IO-360-C1C (20°,200HP)	X									
IO-360-C1C (20°,200HP)				X						
IO-360-C1C (20°,200HP)						X			KA12423	KA12616
IO-360-C1C (25°,200HP)	X								KA14027	
IO-360-C1C (25°,200HP)	X								KA14007	
IO-360-C1C (25°,200HP)	X									
IO-360-C1C (25°,200HP)				X						



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-C1C (25°,200HP)						X			KA12423	KA12616
IO-360-C1C6 (20°,200HP)	X								KA14027	KA12508
IO-360-C1C6 (20°,200HP)				X					KA12364	KA12360
IO-360-C1C6 (20°,200HP)						X			KA12423	
IO-360-C1C6 (25°,200HP)	X								KA14027	KA12508
IO-360-C1C6 (25°,200HP)				X					KA12364	KA12360
IO-360-C1C6 (25°,200HP)						X			KA12423	
IO-360-C1D6 (20°,200HP)	X									KA12508
IO-360-C1D6 (20°,200HP)				X					KA12364	KA12360
IO-360-C1D6 (20°,200HP)						X			KA12365	KA12235
IO-360-C1D6 (25°,200HP)	X									KA12508
IO-360-C1D6 (25°,200HP)				X					KA12364	KA12360
IO-360-C1D6 (25°,200HP)						X			KA12365	KA12235
IO-360-C1E6 (20°,200HP)	X								KA14027	KA12508
IO-360-C1E6 (20°,200HP)				X						
IO-360-C1E6 (20°,200HP)						X			KA12423	KA12616
IO-360-C1E6 (25°,200HP)	X								KA14027	KA12508
IO-360-C1E6 (25°,200HP)				X						
IO-360-C1E6 (25°,200HP)						X			KA12423	KA12616
IO-360-C1F (20°,200HP)	X								KA14007	KA12508
IO-360-C1F (20°,200HP)				X						
IO-360-C1F (20°,200HP)						X			KA12423	KA12616
IO-360-C1F (25°,200HP)	X								KA14007	KA12508
IO-360-C1F (25°,200HP)				X						
IO-360-C1F (25°,200HP)						X			KA12423	KA12616
IO-360-D1A (20°,200HP)	X								KA14007	KA12508
IO-360-D1A (20°,200HP)				X					KA12364	KA12360
IO-360-D1A (20°,200HP)						X			KA12365	KA12616
IO-360-D1A (25°,200HP)	X								KA14007	KA12508
IO-360-D1A (25°,200HP)				X					KA12364	KA12360
IO-360-D1A (25°,200HP)						X			KA12365	KA12616
IO-360-E1A (25°,180HP)	X									KA12508
IO-360-E1A (25°,180HP)				X					KA12364	KA12360
IO-360-E1A (25°,180HP)						X			KA12365	KA12235
IO-360-F1A (25°,180HP)	X								KA14006	KA12508
IO-360-F1A (25°,180HP)				X					KA12364	KA12360
IO-360-F1A (25°,180HP)						X			KA12365	KA12235
IO-360-J1A6D (20°,200HP)								*10-821414-6 OVERHAULED	X	*



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-J1A6D (25°,200HP)								X		*
IO-360-J1AD (20°,200HP)	X									KA12508
IO-360-J1AD (25°,200HP)	X									KA12508
IO-360-K2A (20°,200HP)	X								KA14004	KA12508
IO-360-K2A (20°,200HP)				X					KA12364	KA12360
IO-360-K2A (20°,200HP)						X			KA12365	KA12235
IO-360-K2A (25°,200HP)	X								KA14004	KA12508
IO-360-K2A (25°,200HP)				X					KA12364	KA12360
IO-360-K2A (25°,200HP)						X			KA12365	KA12235
IO-360-L2A (25°,160HP)	X								KA14005	KA12508
IO-360-L2A (25°,180HP)	X								KA14005	KA12508
IO-540-A1A5 (20°,290HP)		X								
IO-540-A1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-A1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-AA1A5 (20°,270HP)		X							KA16014	
IO-540-AA1A5 (20°,270HP)					X				KA12121	KA12120
IO-540-AA1A5 (20°,270HP)							X		KA12154	KA12157
IO-540-AA1B5 (20°,270HP)		X							KA16014	
IO-540-AB1A5 (23°,230HP)		X							KA16014	
IO-540-AC1A5 (20°,300HP)		X								
IO-540-B1A5 (20°,290HP)		X								
IO-540-B1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-B1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-B1B5 (20°,290HP)		X								
IO-540-B1C5 (20°,290HP)		X								
IO-540-B1C5 (20°,290HP)					X				KA12121	KA12120
IO-540-B1C5 (20°,290HP)							X		KA12154	KA12157
IO-540-C1B5 (25°,250HP)		X							KA16002	KA12896
IO-540-C1B5 (25°,250HP)		X							KA16014	
IO-540-C1B5 (25°,250HP)					X				KA12121	KA12120
IO-540-C1B5 (25°,250HP)							X		KA12154	KA12157
IO-540-C1C5 (25°,250HP)		X							KA16002	KA12896
IO-540-C1C5 (25°,250HP)					X				KA12121	KA12120
IO-540-C1C5 (25°,250HP)							X		KA12154	KA12157
IO-540-C2C (25°,250HP)		X							KA16002	KA12896
IO-540-C2C (25°,250HP)					X				KA12121	KA12120
IO-540-C2C (25°,250HP)							X		KA12154	KA12157
IO-540-C4B5 (25°,250HP)		X							KA16002	KA12896



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-C4B5 (25°,250HP)		X							KA16014	
IO-540-C4B5 (25°,250HP)					X				KA12121	KA12120
IO-540-C4B5 (25°,250HP)							X		KA12154	KA12157
IO-540-C4C5 (25°,250HP)		X							KA16014	
IO-540-C4D5 (25°,250HP)		X							KA16014	
IO-540-D4A5 (25°,260HP)		X							KA16014	
IO-540-D4A5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4A5 (25°,260HP)							X		KA12154	KA12157
IO-540-D4B5 (25°,260HP)		X								
IO-540-D4B5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4B5 (25°,260HP)							X		KA12154	KA12157
IO-540-D4C5 (25°,260HP)		X								
IO-540-D4C5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4C5 (25°,260HP)							X		KA12154	KA12157
IO-540-E1A5 (20°,290HP)		X							KA16014	
IO-540-E1A5 (20°,290HP)		X								KA12896
IO-540-E1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-E1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-E1B5 (20°,290HP)		X								KA12896
IO-540-E1B5 (20°,290HP)					X				KA12121	KA12120
IO-540-E1B5 (20°,290HP)							X		KA12154	KA12157
IO-540-E1C5 (20°,290HP)		X								KA12896
IO-540-G1A5 (20°,290HP)		X								KA12896
IO-540-G1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-G1A5 (20°,290HP)							X			
IO-540-G1B5 (20°,290HP)		X								
IO-540-G1B5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1B5 (20°,290HP)							X		KA12154	KA12157
IO-540-G1B5 (20°,290HP)							X			
IO-540-G1C5 (20°,290HP)		X								
IO-540-G1C5 (20°,290HP)							X			
IO-540-G1D5 (20°,290HP)		X								
IO-540-G1D5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1D5 (20°,290HP)							X			KA12157
IO-540-G1D5 (20°,290HP)							X		KA12154	
IO-540-G1E5 (20°,290HP)		X								
IO-540-G1E5 (20°,290HP)		X								



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-G1E5 (20°,290HP)					X					KA12120
IO-540-G1E5 (20°,290HP)							X			KA12157
IO-540-G1E5 (20°,290HP)							X		KA12154	
IO-540-G1F5 (20°,290HP)		X								
IO-540-G1F5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1F5 (20°,290HP)							X			KA12157
IO-540-G1F5 (20°,290HP)							X		KA12154	
IO-540-J4A5 (25°,250HP)		X								
IO-540-J4A5 (25°,250HP)					X				KA12121	KA12120
IO-540-J4A5 (25°,250HP)							X			KA12157
IO-540-J4A5 (25°,250HP)							X		KA12154	
IO-540-K1A5 (20°,300HP)		X								
IO-540-K1A5 (20°,300HP)		X							KA16001	
IO-540-K1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1A5 (20°,300HP)							X			KA12157
IO-540-K1A5 (20°,300HP)							X		KA12154	
IO-540-K1A5D (20°,300HP)					*10-821614-6 OVERHAULED			X		*
IO-540-K1B5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1B5 (20°,300HP)							X			KA12157
IO-540-K1B5 (20°,300HP)							X		KA12154	
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1C5 (20°,300HP)		X								
IO-540-K1C5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1C5 (20°,300HP)							X			KA12157
IO-540-K1C5 (20°,300HP)							X		KA12154	
IO-540-K1D5 (20°,300HP)		X								KA12896
IO-540-K1D5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1D5 (20°,300HP)							X		KA12154	KA12157
IO-540-K1E5 (20°,300HP)		X								
IO-540-K1E5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1E5 (20°,300HP)							X			KA12157
IO-540-K1E5 (20°,300HP)							X		KA12154	
IO-540-K1F5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1F5 (20°,300HP)		X								
IO-540-K1F5 (20°,300HP)							X			KA12157
IO-540-K1F5 (20°,300HP)							X		KA12154	



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-K1F5D (20°,300HP)								X		*
IO-540-K1G5 (20°,300HP)		X							KA16001	
IO-540-K1G5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1G5 (20°,300HP)							X			KA12157
IO-540-K1G5 (20°,300HP)							X		KA12154	
IO-540-K1G5D (20°,300HP)								X		*
IO-540-K1H5 (20°,300HP)		X							KA16001	
IO-540-K1H5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1H5 (20°,300HP)							X			KA12157
IO-540-K1H5 (20°,300HP)							X		KA12154	
IO-540-K1J5 (20°,300HP)		X								
IO-540-K1J5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1J5 (20°,300HP)							X			KA12157
IO-540-K1J5 (20°,300HP)							X		KA12154	
IO-540-K1K5 (20°,300HP)		X							KA16001	
IO-540-K1K5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1K5 (20°,300HP)							X			KA12157
IO-540-K1K5 (20°,300HP)							X		KA12154	
IO-540-K2A5 (20°,300HP)		X								
IO-540-K2A5 (20°,300HP)							X			
IO-540-L1A5 (20°,300HP)		X								
IO-540-L1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-L1A5 (20°,300HP)							X			KA12157
IO-540-L1A5 (20°,300HP)							X		KA12154	
IO-540-L1C5 (20°,300HP)		X							KA16001	
IO-540-L1C5 (20°,300HP)					X				KA12121	KA12120
IO-540-L1C5 (20°,300HP)							X			KA12157
IO-540-L1C5 (20°,300HP)							X		KA12154	
IO-540-M1A5 (20°,300HP)		X								
IO-540-M1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-M1A5 (20°,300HP)							X		KA12154	KA12157
IO-540-M1C5 (20°,300HP)		X								
IO-540-N1A5 (25°,260HP)		X							KA16002	
IO-540-N1A5 (25°,260HP)		X								
IO-540-N1A5 (25°,260HP)					X				KA12121	KA12120
IO-540-P1A5 (20°,290HP)		X							KA16002	
IO-540-P1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-P1A5 (20°,290HP)							X		KA12154	KA12157



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-R1A5 (25°,260HP)		X							KA16002	
IO-540-R1A5 (25°,260HP)		X								
IO-540-R1A5 (25°,260HP)					X				KA12121	KA12120
IO-540-R1A5 (25°,260HP)							X		KA12154	KA12157
IO-540-S1A5 (20°,300HP)		X								
IO-540-S1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-S1A5 (20°,300HP)							X		KA12154	KA12157
IO-540-T4A5D (25°,260HP)					*10-821614-6 OVERHAULED			X		*
IO-540-T4B5 (25°,260HP)		X								
IO-540-T4B5D (25°,260HP)					*10-821614-6 OVERHAULED			X		*
IO-540-W1A5 (23°,235HP)		X							KA16002	KA12896
IO-540-W1A5D (23°,235HP)					*10-821614-6 OVERHAULED			X		*
IO-540-W3A5D (23°,235HP)					*10-821614-6 OVERHAULED			X		*
IVO-360-A1A (25°,180HP)				X					KA12364	KA14033
LIO-320-B1A (25°,160HP)	X								KA14000	KA12508
LIO-320-B1A (25°,160HP)				X					KA12112	KA12360
LIO-320-B1A (25°,160HP)						X			KA12365	KA12235
LIO-320-C1A (25°,160HP)	X								KA14000	KA12508
LIO-320-C1A (25°,160HP)				X					KA12112	KA12360
LIO-320-C1A (25°,160HP)						X			KA12365	KA12235
LIO-360-C1E6 (20°,200HP)		X							KA14027	
LIO-360-C1E6 (20°,200HP)				X						
LIO-360-C1E6 (20°,200HP)						X			KA12423	KA12616
LIO-360-C1E6 (25°,200HP)		X							KA14027	
LIO-360-C1E6 (25°,200HP)				X						
LIO-360-C1E6 (25°,200HP)						X			KA12423	KA12616
LO-360-A1G6D (25°,180HP)					*10-821414-6 OVERHAULED			X		*
LO-360-E1A6D (25°,180HP)					*10-821414-4 OVERHAULED			X		*
LTIO-540-F2BD (20°,325HP)					*10-821625-4 OVERHAULED			X		*
LTIO-540-J2B (20°,350HP)		X								
LTIO-540-J2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
LTIO-540-N2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
LTIO-540-R2AD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
LTIO-540-V2AD (20°,350HP)					*10-821625-34 OVERHAULED			X		*
O-235-C1 (25°,115HP)	X								KA14004	KA12508
O-235-C1 (25°,115HP)				X					KA12364	KA12360
O-235-C1 (25°,115HP)						X			KA12365	KA12235
O-235-C1B (25°,115HP)	X								KA14004	KA12508



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-C1B (25°,115HP)				X					KA12364	KA12360
O-235-C1B (25°,115HP)							X		KA12365	KA12235
O-235-C1C (25°,115HP)	X								KA14001	KA12508
O-235-C1C (25°,115HP)				X					KA12364	KA12360
O-235-C1C (25°,115HP)							X		KA12365	KA12235
O-235-C2A (25°,115HP)	X								KA14004	KA12508
O-235-C2A (25°,115HP)				X					KA12364	KA12360
O-235-C2A (25°,115HP)							X		KA12365	KA12235
O-235-C2B (25°,115HP)	X								KA14005	KA12508
O-235-C2B (25°,115HP)				X					KA12364	KA12360
O-235-C2B (25°,115HP)							X		KA12365	KA12235
O-235-C2C (25°,115HP)	X								KA14001	KA12508
O-235-C2C (25°,115HP)				X					KA12364	KA12360
O-235-C2C (25°,115HP)							X		KA12365	KA12235
O-235-E1 (25°,115HP)	X								KA14001	KA12508
O-235-E1 (25°,115HP)				X					KA12364	KA12360
O-235-E1 (25°,115HP)							X		KA12365	KA12235
O-235-E2A (25°,115HP)	X								KA14004	KA12508
O-235-E2A (25°,115HP)				X					KA12364	KA12360
O-235-E2A (25°,115HP)							X		KA12365	KA12235
O-235-E2B (25°,115HP)	X								KA14001	KA12508
O-235-E2B (25°,115HP)				X					KA12364	KA12360
O-235-E2B (25°,115HP)							X		KA12365	KA12235
O-235-F1 (25°,125HP)	X								KA14001	KA12508
O-235-F1 (25°,125HP)				X					KA12364	KA12360
O-235-F1 (25°,125HP)							X		KA12365	KA12235
O-235-F1B (25°,125HP)	X								KA14004	KA12508
O-235-F1B (25°,125HP)				X					KA12364	KA12360
O-235-F1B (25°,125HP)							X		KA12365	KA12235
O-235-F2A (25°,125HP)	X								KA14004	KA12508
O-235-F2A (25°,125HP)				X					KA12364	KA12360
O-235-F2A (25°,125HP)							X		KA12365	KA12235
O-235-F2B (25°,125HP)	X								KA14005	KA12508
O-235-F2B (25°,125HP)				X					KA12364	KA12360
O-235-F2B (25°,125HP)							X		KA12365	KA12235
O-235-G1 (25°,125HP)	X								KA14004	KA12508
O-235-G1 (25°,125HP)				X					KA12364	KA12360
O-235-G1 (25°,125HP)							X		KA12365	KA12235



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-G2A (25°, 125HP)	X								KA14004	KA12508
O-235-G2A (25°, 125HP)				X					KA12364	KA12360
O-235-G2A (25°, 125HP)						X			KA12365	KA12235
O-235-G2B (25°, 125HP)	X								KA14001	KA12508
O-235-G2B (25°, 125HP)				X					KA12364	KA12360
O-235-G2B (25°, 125HP)						X			KA12365	KA12235
O-235-H2C (25°, 115HP)	X								KA14001	KA12508
O-235-H2C (25°, 115HP)				X					KA12364	KA12360
O-235-H2C (25°, 115HP)						X			KA12365	KA12235
O-235-J2A (25°, 125HP)	X								KA14004	KA12508
O-235-J2A (25°, 125HP)				X					KA12364	KA12360
O-235-J2A (25°, 125HP)						X			KA12365	KA12235
O-235-J2B (25°, 125HP)	X								KA14001	KA12508
O-235-J2B (25°, 125HP)				X					KA12364	KA12360
O-235-J2B (25°, 125HP)						X			KA12365	KA12235
O-235-K2A (20°, 118HP)	X								KA14004	KA12508
O-235-K2A (20°, 118HP)				X					KA12364	KA12360
O-235-K2A (20°, 118HP)						X			KA12365	KA12235
O-235-K2B (20°, 118HP)	X								KA14005	KA12508
O-235-K2B (20°, 118HP)				X					KA12364	KA12360
O-235-K2B (20°, 118HP)						X			KA12365	KA12235
O-235-K2C (20°, 118HP)	X								KA14001	KA12508
O-235-K2C (20°, 118HP)				X					KA12364	KA12360
O-235-K2C (20°, 118HP)						X			KA12365	KA12235
O-235-L2A (20°, 118HP)	X								KA14004	KA12508
O-235-L2A (20°, 118HP)				X					KA12364	KA12360
O-235-L2A (20°, 118HP)						X			KA12365	KA12235
O-235-L2C (20°, 118HP)	X								KA14001	KA12508
O-235-L2C (20°, 118HP)				X					KA12364	KA12360
O-235-L2C (20°, 118HP)						X			KA12365	KA12235
O-235-M1 (20°, 118HP)	X								KA14004	KA12508
O-235-M1 (20°, 118HP)				X					KA12364	KA12360
O-235-M1 (20°, 118HP)						X			KA12365	KA12235
O-235-M2C (20°, 118HP)	X								KA14001	KA12508
O-235-M2C (20°, 118HP)				X					KA12364	KA12360
O-235-M2C (20°, 118HP)						X			KA12365	KA12235
O-235-N2A (20°, 116HP)	X								KA14004	KA12508
O-235-N2A (20°, 116HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-N2A (20°, 116HP)						X			KA12365	KA12235
O-235-N2C (20°, 116HP)	X								KA14001	KA12508
O-235-N2C (20°, 116HP)				X					KA12364	KA12360
O-235-N2C (20°, 116HP)						X			KA12365	KA12235
O-235-P1 (20°, 116HP)	X								KA14004	KA12508
O-235-P1 (20°, 116HP)				X					KA12364	KA12360
O-235-P1 (20°, 116HP)						X			KA12365	KA12235
O-235-P2A (20°, 116HP)	X								KA14004	KA12508
O-235-P2A (20°, 116HP)				X					KA12364	KA12360
O-235-P2A (20°, 116HP)						X			KA12365	KA12235
O-290-D (20°, 125HP)	X								KA14004	KA12508
O-290-D2 (18°, 135HP)	X								KA14004	
O-290-D2 (18°, 135HP)				X						KA12360
O-290-D2A (18°, 135HP)				X					KA12364	KA12360
O-290-D2B (25°, 135HP)				X					KA12364	KA12360
O-290-D2C (25°, 135HP)				X					KA12364	KA12360
O-320-A1A (25°, 150HP)	X								KA14001	KA12508
O-320-A1A (25°, 150HP)				X					KA12364	KA12360
O-320-A1A (25°, 150HP)						X			KA12365	KA12235
O-320-A1B (25°, 150HP)	X								KA14004	KA12508
O-320-A1B (25°, 150HP)				X					KA12364	KA12360
O-320-A1B (25°, 150HP)						X			KA12365	KA12235
O-320-A2A (25°, 150HP)	X								KA14004	KA12508
O-320-A2A (25°, 150HP)				X					KA12364	KA12360
O-320-A2A (25°, 150HP)						X			KA12365	KA12235
O-320-A2B (25°, 150HP)	X								KA14004	KA12508
O-320-A2B (25°, 150HP)				X					KA12402	KA12360
O-320-A2C (25°, 150HP)	X								KA14004	KA12508
O-320-A2C (25°, 150HP)				X					KA12402	KA12360
O-320-A2C (25°, 150HP)						X			KA12365	KA12235
O-320-A2D (25°, 150HP)	X								KA14001	KA12508
O-320-A2D (25°, 150HP)				X					KA12364	KA12360
O-320-A2D (25°, 150HP)						X			KA12365	KA12235
O-320-A3A (25°, 150HP)	X								KA14004	KA12508
O-320-A3A (25°, 150HP)				X					KA12364	KA12360
O-320-A3A (25°, 150HP)						X			KA12365	KA12235
O-320-A3B (25°, 150HP)	X								KA14004	KA12508
O-320-A3B (25°, 150HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-A3B (25°,150HP)						X			KA12365	KA12235
O-320-A3C (25°,150HP)	X								KA14004	KA12508
O-320-A3C (25°,150HP)				X					KA12402	KA12360
O-320-A3C (25°,150HP)						X			KA12365	KA12235
O-320-B1A (25°,160HP)	X								KA14004	KA12508
O-320-B1A (25°,160HP)				X					KA12364	KA12360
O-320-B1A (25°,160HP)						X			KA12365	KA12235
O-320-B1B (25°,160HP)	X								KA14004	KA12508
O-320-B1B (25°,160HP)				X					KA12364	KA12360
O-320-B2A (25°,160HP)	X								KA14004	KA12508
O-320-B2A (25°,160HP)				X					KA12364	KA12360
O-320-B2A (25°,160HP)						X			KA12365	KA12235
O-320-B2B (25°,160HP)	X								KA14004	KA12508
O-320-B2B (25°,160HP)				X					KA12364	KA12360
O-320-B2B (25°,160HP)						X			KA12365	KA12235
O-320-B2C (25°,160HP)	X								KA14004	KA12508
O-320-B2C (25°,160HP)				X					KA12402	KA12360
O-320-B2D (25°,160HP)	X								KA14004	KA12508
O-320-B3A (25°,160HP)	X								KA14004	KA12508
O-320-B3A (25°,160HP)				X					KA12364	KA12360
O-320-B3A (25°,160HP)						X			KA12365	KA12235
O-320-B3B (25°,160HP)	X								KA14004	KA12508
O-320-B3B (25°,160HP)				X					KA12364	KA12360
O-320-B3B (25°,160HP)						X			KA12365	KA12235
O-320-B3C (25°,160HP)	X								KA14004	KA12508
O-320-B3C (25°,160HP)				X					KA12364	KA12360
O-320-B3C (25°,160HP)						X			KA12365	KA12235
O-320-C1A (25°,150HP)	X								KA14001	KA12508
O-320-C1A (25°,150HP)				X					KA12364	KA12360
O-320-C1A (25°,150HP)						X			KA12365	KA12235
O-320-C1B (25°,150HP)	X								KA14004	KA12508
O-320-C1B (25°,150HP)				X					KA12364	KA12360
O-320-C1B (25°,150HP)						X			KA12365	KA12235
O-320-C2A (25°,150HP)	X								KA14004	KA12508
O-320-C2A (25°,150HP)				X					KA12364	KA12360
O-320-C2A (25°,150HP)						X			KA12365	KA12235
O-320-C2B (25°,150HP)	X								KA14004	KA12508
O-320-C2B (25°,150HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-C2B (25°,150HP)						X			KA12365	KA12235
O-320-C2C (25°,150HP)	X								KA14004	KA12508
O-320-C2C (25°,150HP)				X					KA12364	KA12360
O-320-C2C (25°,150HP)						X			KA12365	KA12235
O-320-C3A (25°,150HP)	X								KA14001	KA12508
O-320-C3A (25°,150HP)				X					KA12364	KA12360
O-320-C3A (25°,150HP)						X			KA12365	KA12235
O-320-C3B (25°,150HP)	X								KA14004	KA12508
O-320-C3B (25°,150HP)				X					KA12364	KA12360
O-320-C3B (25°,150HP)						X			KA12365	KA12235
O-320-C3C (25°,150HP)	X								KA14004	KA12508
O-320-C3C (25°,150HP)				X					KA12364	KA12360
O-320-C3C (25°,150HP)						X			KA12365	KA12235
O-320-D1A (25°,150HP)	X								KA14004	KA12508
O-320-D1A (25°,150HP)				X					KA12364	KA12360
O-320-D1A (25°,150HP)						X			KA12365	KA12235
O-320-D1A (25°,160HP)	X								KA14004	KA12508
O-320-D1A (25°,160HP)				X					KA12364	KA12360
O-320-D1A (25°,160HP)						X			KA12365	KA12235
O-320-D1B (25°,150HP)				X					KA12364	KA12360
O-320-D1B (25°,150HP)						X			KA12365	KA12235
O-320-D1B (25°,160HP)				X					KA12364	KA12360
O-320-D1B (25°,160HP)						X			KA12365	KA12235
O-320-D1C (25°,150HP)	X								KA14005	KA12508
O-320-D1C (25°,150HP)				X					KA12364	KA12360
O-320-D1C (25°,150HP)						X			KA12365	KA12235
O-320-D1C (25°,160HP)	X								KA14005	KA12508
O-320-D1C (25°,160HP)				X					KA12364	KA12360
O-320-D1C (25°,160HP)						X			KA12365	KA12235
O-320-D1D (25°,150HP)	X								KA14001	KA12508
O-320-D1D (25°,150HP)				X					KA12364	KA12360
O-320-D1D (25°,150HP)						X			KA12365	KA12235
O-320-D1D (25°,160HP)	X								KA14001	KA12508
O-320-D1D (25°,160HP)				X					KA12364	KA12360
O-320-D1D (25°,160HP)						X			KA12365	KA12235
O-320-D1F (25°,150HP)	X								KA14005	KA12508
O-320-D1F (25°,150HP)				X					KA12364	KA12360
O-320-D1F (25°,150HP)						X			KA12365	KA12235



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-D1F (25°,160HP)	X								KA14005	KA12508
O-320-D1F (25°,160HP)				X					KA12364	KA12360
O-320-D1F (25°,160HP)						X			KA12365	KA12235
O-320-D2A (25°,150HP)	X								KA14005	KA12508
O-320-D2A (25°,150HP)				X					KA12364	KA12360
O-320-D2A (25°,150HP)						X			KA12365	KA12235
O-320-D2A (25°,160HP)	X								KA14005	KA12508
O-320-D2A (25°,160HP)				X					KA12364	KA12360
O-320-D2A (25°,160HP)						X			KA12365	KA12235
O-320-D2B (25°,150HP)	X								KA14004	KA12508
O-320-D2B (25°,150HP)				X					KA12364	KA12360
O-320-D2B (25°,150HP)						X			KA12365	KA12235
O-320-D2B (25°,160HP)	X								KA14004	KA12508
O-320-D2B (25°,160HP)				X					KA12364	KA12360
O-320-D2B (25°,160HP)						X			KA12365	KA12235
O-320-D2C (25°,150HP)	X								KA14005	KA12508
O-320-D2C (25°,150HP)				X					KA12364	KA12360
O-320-D2C (25°,150HP)						X			KA12365	KA12235
O-320-D2C (25°,160HP)	X								KA14005	KA12508
O-320-D2C (25°,160HP)				X					KA12364	KA12360
O-320-D2C (25°,160HP)						X			KA12365	KA12235
O-320-D2F (25°,150HP)	X								KA14005	KA12508
O-320-D2F (25°,150HP)				X					KA12364	KA12360
O-320-D2F (25°,150HP)						X			KA12365	KA12235
O-320-D2F (25°,160HP)	X								KA14005	KA12508
O-320-D2F (25°,160HP)				X					KA12364	KA12360
O-320-D2F (25°,160HP)						X			KA12365	KA12235
O-320-D2G (25°,150HP)	X								KA14001	KA12508
O-320-D2G (25°,150HP)				X					KA12364	KA12360
O-320-D2G (25°,150HP)						X			KA12365	KA12235
O-320-D2G (25°,160HP)	X								KA14001	KA12508
O-320-D2G (25°,160HP)				X					KA12364	KA12360
O-320-D2G (25°,160HP)						X			KA12365	KA12235
O-320-D2H (25°,150HP)	X								KA14001	KA12508
O-320-D2H (25°,150HP)				X					KA12364	KA12360
O-320-D2H (25°,150HP)						X			KA12365	KA12235
O-320-D2H (25°,160HP)	X								KA14001	KA12508
O-320-D2H (25°,160HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-D2H (25°,160HP)						X			KA12365	KA12235
O-320-D2J (25°,150HP)	X								KA14002	KA12508
O-320-D2J (25°,150HP)				X					KA12364	KA12360
O-320-D2J (25°,150HP)						X			KA12365	KA12235
O-320-D2J (25°,160HP)	X								KA14002	KA12508
O-320-D2J (25°,160HP)				X					KA12364	KA12360
O-320-D2J (25°,160HP)						X			KA12365	KA12235
O-320-D3G (25°,150HP)	X								KA14001	KA12508
O-320-D3G (25°,150HP)				X					KA12364	KA12360
O-320-D3G (25°,150HP)						X			KA12365	KA12235
O-320-D3G (25°,160HP)	X								KA14001	KA12508
O-320-D3G (25°,160HP)				X					KA12364	KA12360
O-320-D3G (25°,160HP)						X			KA12365	KA12235
O-320-E1A (25°,150HP)	X								KA14004	KA12508
O-320-E1A (25°,150HP)				X					KA12364	KA12360
O-320-E1A (25°,150HP)						X			KA12365	KA12235
O-320-E1B (25°,150HP)				X					KA12364	KA12360
O-320-E1B (25°,150HP)						X			KA12365	KA12235
O-320-E1C (25°,150HP)	X								KA14005	KA12508
O-320-E1C (25°,150HP)				X					KA12364	KA12360
O-320-E1C (25°,150HP)						X			KA12365	KA12235
O-320-E1F (25°,150HP)	X								KA14005	KA12508
O-320-E1F (25°,150HP)				X					KA12364	KA12360
O-320-E1F (25°,150HP)						X			KA12365	KA12235
O-320-E1J (25°,150HP)	X								KA14001	KA12508
O-320-E1J (25°,150HP)				X					KA12364	KA12360
O-320-E1J (25°,150HP)						X			KA12365	KA12235
O-320-E2A (25°,140HP)	X								KA14004	KA12508
O-320-E2A (25°,140HP)				X					KA12364	KA12360
O-320-E2A (25°,140HP)						X			KA12365	KA12235
O-320-E2A (25°,150HP)	X								KA14004	KA12508
O-320-E2A (25°,150HP)				X					KA12364	KA12360
O-320-E2A (25°,150HP)						X			KA12365	KA12235
O-320-E2B (25°,150HP)	X								KA14004	KA12508
O-320-E2B (25°,150HP)				X					KA12364	KA12360
O-320-E2B (25°,150HP)						X			KA12365	KA12235
O-320-E2C (25°,140HP)	X								KA14007	KA12508
O-320-E2C (25°,140HP)				X					KA12364	KA12360



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-E2C (25°,140HP)						X			KA12365	KA12235
O-320-E2C (25°,150HP)	X								KA14007	KA12508
O-320-E2C (25°,150HP)				X					KA12364	KA12360
O-320-E2C (25°,150HP)						X			KA12365	KA12235
O-320-E2D (25°,150HP)	X								KA14001	KA12508
O-320-E2D (25°,150HP)				X					KA12364	KA12360
O-320-E2D (25°,150HP)						X			KA12365	KA12235
O-320-E2F (25°,150HP)	X								KA14002	KA12508
O-320-E2F (25°,150HP)				X					KA12364	KA12360
O-320-E2F (25°,150HP)						X			KA12365	KA12235
O-320-E2G (25°,150HP)	X								KA14001	KA12508
O-320-E2G (25°,150HP)				X					KA12364	KA12360
O-320-E2G (25°,150HP)						X			KA12365	KA12235
O-320-E2H (25°,150HP)	X								KA14004	KA12508
O-320-E2H (25°,150HP)				X					KA12364	KA12360
O-320-E2H (25°,150HP)						X			KA12365	KA12235
O-320-E3D (25°,150HP)	X								KA14001	KA12508
O-320-E3D (25°,150HP)				X					KA12364	KA12360
O-320-E3D (25°,150HP)						X			KA12365	KA12235
O-320-E3H (25°,150HP)	X								KA14005	KA12508
O-320-E3H (25°,150HP)				X					KA12364	KA12360
O-320-E3H (25°,150HP)						X			KA12365	KA12235
O-320-H2AD (25°,160HP)								X		*
O-340-A1A (25°,170HP)				X					KA12364	KA12360
O-340-A2A (25°,170HP)				X					KA12364	KA12360
O-360-A1AD (25°,180HP)								X		*
O-360-A1A-nd (25°,180HP)	X								KA14006	KA12508
O-360-A1A-nd (25°,180HP)				X					KA12364	KA12360
O-360-A1A-nd (25°,180HP)						X			KA12365	KA12235
O-360-A1A-wd (25°,180HP)	X								KA14004	KA12508
O-360-A1A-wd (25°,180HP)				X					KA12364	KA12360
O-360-A1A-wd (25°,180HP)						X			KA12365	KA12235
O-360-A1C (25°,180HP)				X					KA12364	KA12360
O-360-A1C (25°,180HP)						X			KA12365	KA12235
O-360-A1D (25°,180HP)	X								KA14004	
O-360-A1D (25°,180HP)	X									
O-360-A1D (25°,180HP)				X					KA12364	KA12360
O-360-A1D (25°,180HP)						X			KA12365	KA12235



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-A1F (25°,180HP)	X								KA14005	KA12508
O-360-A1F (25°,180HP)				X					KA12364	KA12360
O-360-A1F (25°,180HP)						X			KA12365	KA12235
O-360-A1F6 (25°,180HP)	X								KA14005	KA12508
O-360-A1F6 (25°,180HP)						X				KA12235
O-360-A1F6D (25°,180HP)								*10-821414-8 OVERHAULED X		*
O-360-A1G (25°,180HP)	X								KA14005	KA12508
O-360-A1G (25°,180HP)				X					KA12364	KA12360
O-360-A1G (25°,180HP)						X			KA12365	KA12235
O-360-A1G6 (25°,180HP)	X								KA14005	KA12508
O-360-A1G6 (25°,180HP)				X					KA12364	KA12360
O-360-A1G6 (25°,180HP)						X			KA12365	KA12235
O-360-A1G6D (25°,180HP)								*10-821414-6 OVERHAULED X		*
O-360-A1H (25°,180HP)	X								KA14004	KA12508
O-360-A1H (25°,180HP)				X					KA12364	KA12360
O-360-A1H (25°,180HP)						X			KA12365	KA12235
O-360-A1H6 (25°,180HP)	X								KA14001	KA12508
O-360-A1LD (25°,180HP)								*10-821414-6 OVERHAULED X		*
O-360-A1P (25°,180HP)	X								KA14004	KA12508
O-360-A2A (25°,180HP)	X								KA14004	KA12508
O-360-A2A (25°,180HP)				X					KA12364	KA12360
O-360-A2A (25°,180HP)						X			KA12365	KA12235
O-360-A2D (25°,180HP)	X								KA14004	
O-360-A2D (25°,180HP)				X					KA12364	KA12360
O-360-A2D (25°,180HP)						X			KA12365	KA12235
O-360-A2E (25°,180HP)	X								KA14004	KA12508
O-360-A2F (25°,180HP)	X								KA14005	KA12508
O-360-A2F (25°,180HP)				X					KA12364	KA12360
O-360-A2F (25°,180HP)						X			KA12365	KA12235
O-360-A2G (25°,180HP)	X								KA14006	KA12508
O-360-A2G (25°,180HP)				X					KA12364	KA12360
O-360-A2G (25°,180HP)						X			KA12365	KA12235
O-360-A2H (25°,180HP)	X								KA14001	KA12508
O-360-A2H (25°,180HP)				X					KA12364	KA12360
O-360-A2H (25°,180HP)						X			KA12365	KA12235
O-360-A3A (25°,180HP)	X								KA14004	KA12508
O-360-A3A (25°,180HP)				X					KA12364	KA12360
O-360-A3A (25°,180HP)						X			KA12365	KA12235



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-A3AD (25°, 180HP)								*10-821414-6 OVERHAULED	X	*
O-360-A3D (25°, 180HP)	X								KA14004	KA12508
O-360-A4A (25°, 180HP)	X								KA14004	KA12508
O-360-A4A (25°, 180HP)				X					KA12364	KA12360
O-360-A4A (25°, 180HP)						X			KA12365	KA12235
O-360-A4D (25°, 180HP)	X								KA14004	KA12508
O-360-A4G (25°, 180HP)	X								KA14006	KA12508
O-360-A4G (25°, 180HP)				X					KA12364	KA12360
O-360-A4G (25°, 180HP)						X			KA12365	KA12235
O-360-A4J (25°, 180HP)	X								KA14004	KA12508
O-360-A4J (25°, 180HP)				X						
O-360-A4J (25°, 180HP)						X				
O-360-A4K (25°, 180HP)	X								KA14001	KA12508
O-360-A4K (25°, 180HP)				X					KA12364	KA12360
O-360-A4K (25°, 180HP)						X			KA12365	KA12235
O-360-A4M (25°, 180HP)	X								KA14001	KA12508
O-360-A4M (25°, 180HP)				X					KA12364	KA12360
O-360-A4M (25°, 180HP)						X			KA12365	KA12235
O-360-A4N (25°, 180HP)	X								KA14002	KA12508
O-360-A4N (25°, 180HP)				X					KA12364	KA12360
O-360-A4N (25°, 180HP)						X			KA12365	KA12235
O-360-A4P (25°, 180HP)	X								KA14001	KA12508
O-360-A5AD (25°, 180HP)								*10-821414-6 OVERHAULED	X	*
O-360-B1A (25°, 168HP)	X								KA14001	KA12508
O-360-B1A (25°, 168HP)				X					KA12364	KA12360
O-360-B1A (25°, 168HP)						X			KA12365	KA12235
O-360-B1B (25°, 168HP)	X								KA14001	KA12508
O-360-B2A (25°, 168HP)	X								KA14004	KA12508
O-360-B2A (25°, 168HP)				X					KA12364	KA12360
O-360-B2A (25°, 168HP)						X			KA12365	KA12235
O-360-B2B (25°, 168HP)	X								KA14001	KA12508
O-360-B2C (25°, 168HP)				X					KA12402	
O-360-C1A (25°, 180HP)	X								KA14004	KA12508
O-360-C1A (25°, 180HP)				X					KA12364	KA12360
O-360-C1A (25°, 180HP)						X			KA12365	KA12235
O-360-C1C (25°, 180HP)	X								KA14004	KA12508
O-360-C1C (25°, 180HP)				X					KA12364	KA12360
O-360-C1C (25°, 180HP)						X			KA12365	KA12235



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-C1E (25°,180HP)	X								KA14001	KA12508
O-360-C1E (25°,180HP)				X					KA12364	KA12360
O-360-C1E (25°,180HP)						X			KA12365	KA12235
O-360-C1F (25°,180HP)	X								KA14001	KA12508
O-360-C1F (25°,180HP)				X					KA12364	KA12360
O-360-C1F (25°,180HP)						X			KA12365	KA12235
O-360-C1G (25°,180HP)	X								KA14004	KA12508
O-360-C1G (25°,180HP)				X					KA12364	KA12360
O-360-C1G (25°,180HP)						X			KA12365	KA12235
O-360-C2A (25°,180HP)	X								KA14004	KA12508
O-360-C2A (25°,180HP)				X					KA12364	KA12360
O-360-C2A (25°,180HP)						X			KA12365	KA12235
O-360-C2B (25°,180HP)	X								KA14001	KA12508
O-360-C2B (25°,180HP)				X					KA12364	KA12360
O-360-C2B (25°,180HP)						X			KA12365	KA12235
O-360-C2C (25°,180HP)	X								KA14004	KA12508
O-360-C2C (25°,180HP)				X					KA12364	KA12360
O-360-C2C (25°,180HP)						X			KA12365	KA12235
O-360-C2D (25°,180HP)	X								KA14001	KA12508
O-360-C2E (25°,180HP)	X								KA14001	KA12508
O-360-C2E (25°,180HP)				X					KA12364	KA12360
O-360-C2E (25°,180HP)						X			KA12365	KA12235
O-360-C4F (25°,180HP)	X								KA14001	KA12508
O-360-C4P (25°,180HP)	X								KA14001	KA12508
O-360-D1A (25°,168HP)	X								KA14001	KA12508
O-360-D1A (25°,168HP)				X					KA12364	KA12360
O-360-D1A (25°,168HP)						X			KA12365	KA12235
O-360-D2A (25°,168HP)	X								KA14004	KA12508
O-360-D2A (25°,168HP)				X					KA12364	KA12360
O-360-D2A (25°,168HP)						X			KA12365	KA12235
O-360-D2B (25°,168HP)				X					KA12364	KA12360
O-360-E1A6D (25°,180HP)							*10-821414-4 OVERHAULED	X		*
O-360-F1A6 (25°,180HP)	X								KA14002	KA12508
O-360-F1A6 (25°,180HP)				X					KA12364	KA12360
O-360-F1A6 (25°,180HP)						X			KA12365	KA12235
O-360-G1A6 (25°,180HP)	X								KA14002	KA12508
O-360-G1A6 (25°,180HP)				X					KA12364	KA12360
O-360-G1A6 (25°,180HP)						X			KA12365	KA12235



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-J2A (25°, 145HP)				X					KA12402	KA12360
O-540-A1A (25°, 250HP)		X							KA16002	KA12896
O-540-A1A (25°, 250HP)					X				KA12121	KA12120
O-540-A1A5 (25°, 250HP)		X							KA16002	KA12896
O-540-A1A5 (25°, 250HP)					X				KA12121	KA12120
O-540-A1A5 (25°, 250HP)							X		KA12154	KA12157
O-540-A1B5 (25°, 250HP)		X							KA16002	
O-540-A1B5 (25°, 250HP)		X							KA16014	KA12896
O-540-A1B5 (25°, 250HP)					X				KA12121	KA12120
O-540-A1B5 (25°, 250HP)							X		KA12154	KA12157
O-540-A1C5 (25°, 250HP)		X							KA16002	KA12896
O-540-A1C5 (25°, 250HP)					X				KA12121	KA12120
O-540-A1C5 (25°, 250HP)							X		KA12154	KA12157
O-540-A1D (25°, 250HP)		X							KA16014	
O-540-A1D (25°, 250HP)					X				KA12121	KA12120
O-540-A1D (25°, 250HP)							X		KA12154	KA12157
O-540-A1D5 (25°, 250HP)		X							KA16014	
O-540-A1D5 (25°, 250HP)		X								KA12896
O-540-A1D5 (25°, 250HP)		X							KA16002	
O-540-A1D5 (25°, 250HP)					X				KA12121	KA12120
O-540-A1D5 (25°, 250HP)							X		KA12154	KA12157
O-540-A2B (25°, 250HP)		X							KA16002	KA12896
O-540-A2B (25°, 250HP)					X				KA12121	KA12120
O-540-A2B (25°, 250HP)							X		KA12154	KA12157
O-540-A3D5 (25°, 250HP)		X							KA16002	KA12896
O-540-A3D5 (25°, 250HP)					X				KA12121	KA12120
O-540-A3D5 (25°, 250HP)							X		KA12154	KA12157
O-540-A4A5 (25°, 250HP)		X							KA16002	KA12896
O-540-A4A5 (25°, 250HP)					X				KA12121	KA12120
O-540-A4A5 (25°, 250HP)							X		KA12154	
O-540-A4B5 (25°, 250HP)		X							KA16002	KA12896
O-540-A4B5 (25°, 250HP)					X				KA12121	KA12120
O-540-A4B5 (25°, 250HP)							X		KA12154	
O-540-A4C5 (25°, 250HP)		X							KA16002	KA12896
O-540-A4D5 (25°, 250HP)		X							KA16014	KA12896
O-540-A4D5 (25°, 250HP)					X				KA12121	KA12120
O-540-A4D5 (25°, 250HP)							X		KA12154	KA12157
O-540-B1A5 (25°, 235HP)		X							KA16014	KA12896



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-540-B1A5 (25°,235HP)					X				KA12121	KA12120
O-540-B1A5 (25°,235HP)							X		KA12154	KA12157
O-540-B1B5 (25°,235HP)					X				KA12121	KA12120
O-540-B1B5 (25°,235HP)							X		KA12154	KA12157
O-540-B1D5 (25°,235HP)		X							KA16014	KA12896
O-540-B2A5 (25°,235HP)		X							KA16014	
O-540-B2A5 (25°,235HP)					X				KA12121	KA12120
O-540-B2A5 (25°,235HP)							X		KA12154	KA12157
O-540-B2B5 (25°,235HP)		X							KA16002	KA12896
O-540-B2B5 (25°,235HP)					X				KA12121	KA12120
O-540-B2B5 (25°,235HP)							X		KA12154	KA12157
O-540-B2B5-wd (25°,235HP)		X								KA12896
O-540-B2B5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B2B5-wd (25°,235HP)							X		KA12154	KA12157
O-540-B2C5 (25°,235HP)		X								KA12896
O-540-B2C5 (25°,235HP)		X								
O-540-B2C5 (25°,235HP)					X				KA12121	KA12120
O-540-B2C5 (25°,235HP)							X			KA12157
O-540-B2C5 (25°,235HP)							X		KA12154	
O-540-B2C5-wd (25°,235HP)		X							KA16001	KA12896
O-540-B2C5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B2C5-wd (25°,235HP)							X		KA12154	KA12157
O-540-B4A5 (25°,235HP)					X				KA12121	KA12120
O-540-B4A5 (25°,235HP)							X		KA12154	KA12157
O-540-B4B5 (25°,235HP)		X								KA12896
O-540-B4B5 (25°,235HP)					X				KA12121	KA12120
O-540-B4B5 (25°,235HP)							X		KA12154	KA12157
O-540-B4B5-wd (25°,235HP)		X								KA12896
O-540-B4B5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B4B5-wd (25°,235HP)							X		KA12154	KA12157
O-540-D1A5 (25°,250HP)		X							KA16014	
O-540-D1A5 (25°,250HP)		X							KA16002	KA12896
O-540-D1A5 (25°,250HP)					X				KA12121	KA12120
O-540-D1A5 (25°,250HP)							X		KA12154	KA12157
O-540-E4A5 (25°,260HP)		X							KA16014	
O-540-E4A5 (25°,260HP)		X							KA16002	KA12896
O-540-E4A5 (25°,260HP)					X				KA12121	KA12120
O-540-E4A5 (25°,260HP)							X		KA12154	KA12157



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-540-E4B5 (25°,260HP)		X							KA16002	KA12896
O-540-E4B5 (25°,260HP)					X				KA12121	KA12120
O-540-E4B5 (25°,260HP)							X		KA12154	KA12157
O-540-E4B5-wd (25°,260HP)		X								KA12896
O-540-E4B5-wd (25°,260HP)					X				KA12121	KA12120
O-540-E4B5-wd (25°,260HP)							X		KA12154	KA12157
O-540-E4C5 (25°,260HP)		X								
O-540-E4C5 (25°,260HP)					X				KA12121	
O-540-E4C5 (25°,260HP)							X		KA12154	KA12157
O-540-F1A5 (25°,260HP)		X							KA16002	KA12896
O-540-F1B5 (25°,260HP)		X							KA16014	
O-540-F1B5 (25°,260HP)					X				KA12121	KA12120
O-540-F1B5 (25°,260HP)							X		KA12154	KA12157
O-540-G1A5 (25°,260HP)		X								
O-540-G1A5 (25°,260HP)					X				KA12121	KA12120
O-540-G1A5 (25°,260HP)							X		KA12154	KA12157
O-540-G1A5-wd (25°,260HP)		X							KA16001	
O-540-G1A5-wd (25°,260HP)					X				KA12121	KA12120
O-540-G1A5-wd (25°,260HP)							X		KA12154	KA12157
O-540-G2A5 (25°,260HP)		X								
O-540-G2A5 (25°,260HP)							X		KA12154	KA12157
O-540-G2A5 (25°,260HP)					X				KA12121	KA12120
O-540-G2A5-wd (25°,260HP)		X								
O-540-G2A5-wd (25°,260HP)					X				KA12121	KA12120
O-540-G2A5-wd (25°,260HP)							X		KA12154	KA12157
O-540-H1A5 (25°,260HP)		X								
O-540-H1B5D (25°,260HP)								X		*
O-540-H2A5 (25°,260HP)		X							KA16002	KA12896
O-540-H2A5 (25°,260HP)					X				KA12121	KA12120
O-540-H2A5 (25°,260HP)							X		KA12154	KA12157
O-540-H2B5D (25°,260HP)								X		*
O-540-J1A5D (23°,235HP)								X		*
O-540-J3A5 (23°,235HP)		X							KA16002	KA12896
O-540-J3A5D (23°,235HP)								X		*
O-540-J3C5D (25°,235HP)								X		*
O-540-L3C5D (25°,235HP)								X		*
TIGO-541-D1B (20°,450HP)							X			KA12890
TIGO-541-E1A (20°,425HP)							X			KA12890



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TIO-540-A1A (20°,310HP)							X			
TIO-540-A1B (20°,310HP)							X			
TIO-540-A2A (20°,310HP)							X			
TIO-540-A2B (20°,310HP)							X			
TIO-540-A2B (20°,310HP)		X								KA16044
TIO-540-A2C (20°,310HP)							X			
TIO-540-A2C (20°,310HP)		X								KA16044
TIO-540-AE2A (20°,350HP)		X								KA16044
TIO-540-AF1A (20°,270HP)		X								KA16044
TIO-540-AG1A (20°,270HP)		X								KA16044
TIO-540-C1A (20°,250HP)					X				KA12121	KA12120
TIO-540-C1A (20°,250HP)							X		KA12790	KA12851
TIO-540-F2BD (20°,325HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-J2B (20°,350HP)		X								
TIO-540-J2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-N2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-R2AD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-S1AD (20°,300HP)					*10-821615-20 OVERHAULED			X		*
TIO-540-U2A (20°,350HP)		X								KA16044
TIO-540-V2AD (20°,350HP)					*10-821625-34 OVERHAULED			X		*
TIO-540-W2A (20°,350HP)		X								
TIO-540-W2B (20°,350HP)		X								KA16044
TIO-541-A1A (20°,310HP)							X			KA12628
TIO-541-E1A4 (20°,380HP)							X			KA12628
TIO-541-E1B4 (20°,380HP)							X			KA12628
TIO-541-E1C4 (20°,380HP)							X			KA12628
TIVO-540-A2A (25°,315HP)					X					
TO-360-C1A6D (20°,210HP)					*10-821414-10 OVERHAULED			X		*
TVO-435-A1A (25°,260HP)					X					KA12865
TVO-435-B1A - 1/2 (25°,270HP)					X				KA12712	KA12865
TVO-435-B1A - 1/2 (25°,270HP)							X		KA12709	KA12447
TVO-435-B1A - 13/16 (25°,270HP)					X				KA12712	KA12865
TVO-435-B1A - 13/16 (25°,270HP)							X		KA12709	KA12447
TVO-435-B1B (25°,270HP)							X			KA12447
TVO-435-D1A (25°,270HP)							X			KA12447
TVO-435-D1A (25°,270HP)					X				KA12712	



AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TVO-435-D1B (25°,270HP)					X				KA12712	KA12865
TVO-435-F1A (25°,280HP)					X				KA12712	KA12865
TVO-435-F1A (25°,280HP)							X		KA12709	KA12447
TVO-435-G1A (25°,280HP)							X			KA12447
TVO-435-G1A (25°,280HP)					X				KA12712	
TVO-435-G1B (25°,280HP)					X				KA12712	KA12865
VO-435-A1B - 1/2 (25°,260HP)					X					
VO-435-A1B - 13/16 (25°,260HP)					X					
VO-435-A1C - 1/2 (25°,260HP)					X					
VO-435-A1C - 13/16 (25°,260HP)					X					
VO-435-A1D - 1/2 (25°,260HP)					X					
VO-435-A1D - 13/16 (25°,260HP)					X					
VO-435-A1E - 1/2 (25°,260HP)					X					
VO-435-A1E - 13/16 (25°,260HP)					X					
VO-435-A1F - 1/2 (25°,260HP)					X					KA12865
VO-435-A1F - 13/16 (25°,260HP)					X					KA12865
VO-435-B1A - 1/2 (25°,265HP)					X					KA12865
VO-435-B1A - 1/2 (25°,265HP)							X			KA12447
VO-435-B1A - 13/16 (25°,265HP)					X					KA12865
VO-435-B1A - 13/16 (25°,265HP)							X			KA12447
VO-540-A1A (25°,310HP)					X					
VO-540-B1A (25°,305HP)					X					
VO-540-B1B (25°,305HP)					X					
VO-540-B1B3 (25°,305HP)					X					
VO-540-B1C (25°,305HP)					X					
VO-540-B1D (25°,305HP)					X					
VO-540-B1F (25°,305HP)					X					
VO-540-B2A (25°,305HP)					X					
VO-540-B2D (25°,305HP)					X					



**AIRCRAFT IGNITION HARNESS
APPLICATION CHART BY ENGINE MODEL**

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
VO-540-C1A (25°,315HP)					X					
VO-540-C1B (25°,315HP)					X					
VO-540-C1C3 (25°,305HP)					X					
VO-540-C2A (25°,315HP)					X					
VO-540-C2C (25°,315HP)							X			